

SKPT

Version 3.0 Revision Date: 12/04/2017 SDS Number: 290166-00005 Date of last issue: 10/24/2016
Date of first issue: 10/07/2015

SECTION 1. IDENTIFICATION

Product name : SKPT

Manufacturer or supplier's details

Company name of supplier : Shikoku Chemicals Corporation
Address : 8-537-1, Doki-cho Higashi
Marugame-shi, Kagawa 763-8504
Telephone : +81-877-22-4111
Emergency telephone : CHEMTREC (24h) : +1-703-527-3887
E-mail address : shikokumsds@shikoku.co.jp

Recommended use of the chemical and restrictions on use

Recommended use : Base coating

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with 29 CFR 1910.1200**

Combustible dust

Eye irritation : Category 2A
Carcinogenicity (Inhalation) : Category 1A
Specific target organ
systemic toxicity - repeated
exposure (Inhalation) : Category 1 (Lungs)

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : May form combustible dust concentrations in air.
H319 Causes serious eye irritation.
H350i May cause cancer by inhalation.
H372 Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust.

SKPT

Version	Revision Date:	SDS Number:	Date of last issue: 10/24/2016
3.0	12/04/2017	290166-00005	Date of first issue: 10/07/2015

P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Contact with dust can cause mechanical irritation or drying of the skin.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Quartz	14808-60-7	41.67
Aluminium silicate	12141-46-7	20.84
Silicon dioxide	7631-86-9	15.42
Calcium carbonate	471-34-1	5.21
Aluminum oxide	1344-28-1	2.71
Aluminium sulphate	10043-01-3	1.49

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
 Get medical attention.

In case of skin contact : Wash with water and soap.
 Get medical attention if symptoms occur.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
 If easy to do, remove contact lens, if worn.